

Italian Single-Fiber Bidirectional QSFP



Overview

Our QSFP28 Bidirectional (Bidi) transceivers delivers high-speed 100G connectivity over a single strand of fiber, with reach options up to 70km and support for both standard and industrial temperature environments. Whether it's building a network or upgrading an existing network, the Cisco® QSFP-100G-B20U4-I and QSFP-100G-B20D4-I transceivers provide 100G connectivity for platforms at up to 20km on single SMF (Single Mode Fiber). This transceiver is a high-performance module for short-distance duplex data communication and interconnection applications. ZR4 BiDi, using four. SAXONBURG, PA, September 26, 2025 (GLOBE NEWSWIRE) – Coherent Corp. (NYSE: COHR), a global leader in photonics, announces the industry's first QSFP28 Dual Laser 100G ZR solution that enables broadband providers to efficiently maximize capacity on existing fiber infrastructure.



Article Content

Multimode SR-BIDI Technology in 40G QSFP+ and 100G QSFP28

SR- BIDI technology offers several important advantages for modern network infrastructures. By enabling bidirectional transmission

Ultimate QSFP Transceiver Guide: Types (40G/100G) & Compatibility

Confused by QSFP types? Decode the differences between QSFP+, QSFP28 (100G), and QSFP-DD. Learn how to select the right

100G QSFP28 Single Fiber (BiDi) Modules: Technology, Benefits ...

Understand 100G QSFP28 single fiber (BiDi) modules—how they work, benefits vs. duplex 100G, deployment

100G Over Single Fiber, Simplified | Your Fiber Optic Solution | Proline

100G Over Single Fiber, Simplified Upgrading from 10G to 100G no longer requires complex fiber builds. Our QSFP28 Bidirectional

100G BIDI QSFP28 Optical Transceiver: Single Fiber, Duplex Solution ...

Discover how the Svelol 100G QSFP28 BIDI optical module solves data center fiber challenges. Leverage single-fiber

Cisco QSFP-100G-B20U4-I and QSFP-100G-B20D4-I

Whether it's building a network or upgrading an existing network,

40G BiDi QSFP+: Single-fiber Bidirectional Transmission

The YXF-QP-M85L-01D is a four-channel pluggable LC duplex QSFP+ fiber optic transceiver for 40 Gigabit Ethernet

Industry's First 100G ZR QSFP28 for Bi-Directional Application

The Coherent 100G ZR QSFP-DCO is the industry's first dual laser QSFP28 digital coherent optics (DCO) module for

QSFP 40G SR BD: 40G QSFP+ BiDi Transceiver Explained

QSFP-40G-SR-BD achieves 40GbE full-duplex transmission over a single pair of multimode fibers by using bidirectional (BiDi)

Introduction of 40G BiDi QSFP+ dual fiber bidirectional optical module ...

The interface type of the QSFP-40G-SR-BD optical module is a dual-fiber LC interface, the working wavelength is

100G QSFP28 Cable and Transceiver Modules Data Sheet | FS

It uses single-fibre bi-directional technology to transmit different wavelengths over a single fiber. Multiplexing and demultiplexing of

Cisco QSFP-100G-B20U4-I and QSFP-100G-B20D4-I 100G 20km Bidirectional ...

Whether it's building a network or upgrading an existing network, the Cisco QSFP-100G- B20U4-I and QSFP-100G

100G Over Single Fiber, Simplified | ProLabs

Our QSFP28 Bidirectional (Bidi) transceivers delivers high-speed 100G connectivity over a single strand of fiber, with

BiDi SFP: The Complete Guide to Bidirectional SFP Transceivers and ...

BiDi SFP (Bidirectional Small Form-Factor Pluggable) transceivers have emerged as a powerful solution, enabling full

100G QSFP28 BiDi : Optical Transceiver Module | NEC

NEC's 100G QSFP28 BiDi optical transceiver enables the transmission and reception of 100Gb/s high-speed data over a single

The Ultimate Guide to BiDi Transceiver

The full name of BiDi is Bi-Directional. BiDi transceiver (Bi-Directional transceiver) is a kind of special optical

BiDi Optical Modules: Unlocking Single-Fiber Bidirectional Connectivity

Comprehensive guide on BiDi Optical modules, detailing single-fiber bidirectional connectivity, deployment tips,

What is QSFP & QSFP+ Transceiver: An Ultimate Guide

What is a QSFP & QSFP+ Transceiver? QSFP stands for Quad Small Form-factor Pluggable. By integrating four-lane

Comprehensive Guide to 100G BIDI QSFP28 Transceivers | FiberMall

Unlike traditional transceivers that require two fibers (one for transmitting and one for receiving), the 100G BIDI

Cisco QSFP-100G-B20U4-I and QSFP-100G-B20D4-I 100G 20km

The QSFP-100G-B20U4-I and QSFP-100G-B20D4-I transceivers provide single-fiber, full-duplex, 100Gbps connectivity as network

Dual to Single Fiber Solutions | RAD BiDi QSFP28 DD Adaptor

RAD offers dual to single fiber solutions for high-speed, reliable networks. Explore our BiDi QSFP28 adaptors for seamless connectivity.

Arista QSFP-100G-SRBD High Quality Bidirectional Transceiver

The Arista QSFP-100G-SRBD is a high-performance optical transceiver designed for short-range 100Gbps data transmission.

QSFP-40GB Transceivers Guide and Compatibility

QSFP+ 40Gb transceivers guide. Learn specs, compatibility, and benefits for efficient networking solutions.

40G BiDi QSFP+ 150m MMF | Two-Fiber | EDGEOPTIC

EDGEOPTIC 40G BiDi QSFP+ transceiver: 150m OM4 multimode fiber, 850/900nm wavelengths, 2dB link budget, 41.25 Gbps. Two

Turning Dual to Single Fiber for 50% Fiber Savings

RAD's BiDi QSFP adaptor is a passive, small-factor dual to single fiber adapter that can be plugged into existing SFPs, providing

QSFP-40G-SR-BD (Single-Fiber-Bidirectional Module)

This document provides an overall description of the CE5800& 6800& 7800& 8800 series switches hardware that versions earlier than

Bidirectional SFP Modules | Bidirectional SFP Transceivers

Versitron offers single-mode and multimode Bidirectional SFP Modules suitable for point-to-point networking, metro access ring,

Arista 100G Transceivers and Cables: Q& A

Arista's 100G connectivity solutions include copper cables and Active Optical Cables (AOCs) to enable cost effective short reach

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://e-motional.eu>

Email: info@e-motional.eu

Phone: +49-30-657-8924

Address: Friedrichstraße 101, 10117 Berlin, Germany

This document is for informational purposes only. Specifications subject to change without notice.

