

Single-mode fiber optic to 485 converter



Overview

The unit extends the maximum distance of any RS232/RS485/RS422 signal up to 12.4 miles (20 kilometers) using single mode fiber optic cable. This converter operates from 300 to 128K baud. 90. Moxa's industrial-grade serial-to-fiber optic converters can convert RS-232/422/485 to optical fiber, which provides users with an easy and reliable way to communicate with their serial devices. The 20km SER-FIBER-SM-ST OR SER-FIBER-SM-SC is a industrial grade bi-directional externally powered multi-functional RS232/RS485/RS422 to Single Mode Fiber Optic Converter which converts either full-duplex RS232, half-duplex RS-485 or full-duplex RS422 to a single mode SC or ST connector type fiber. Advantech B+B SmartWorx' ILine™ fiber converters are designed with functionality required for heavier industrial environments.



Article Content

RS485 / RS422 / RS232 To Single Mode Fiber Optic Converter

The unit extends the maximum distance of any RS232/RS485/RS422 signal up to 12.4 miles (20 kilometers) using single mode fiber optic cable. The unit is enclosed in a rugged steel housing.

RS485/RS422/RS232 Fiber Converter Multimode, Single Fiber FC

Fiber modem implements advanced optic transmission technology to extend signal transmission distance up to 120km on single-core fiber. It can convert data type among RS232, RS422 and RS485

Industrial Single-Mode Serial Link Media Converter

DY-5877S fiber single mode fiber converter: The main function of the DYMEC Serial Link is the photoelectric conversion of RS-232/RS-485/RS-422 signals. This series of products realizes long

Industrial Interface Converter Market Report 2026-2032: Media ...

Unlike standard commercial converters (e.g., USB-to-serial), industrial interface converters address critical infrastructure pain points: (1) extending communication distances beyond copper limits

Can I use single mode equipment over multimode cable and vice

Fig : Converter Multimode to single-mode with WDM transponder Solution 3: Using Mode Conditioning Patch Cables For Single-Mode to Multimode Conversion In structure, a mode

RS-485 to Singlemode Fiber Optic Converter | rdc485SFO

Our RS-485 to Singlemode Fiber Optic Converter (rdc485SFO) robustly connects your panel mounted RS-485 devices to fiber optic cables up to 20km long, providing the ultimate in isolation, surge, and

Multi Function Video Converter Data Via Fiber Singlemode 60KM Hot ...

Fiber modem implements advanced optic transmission technology to extend signal transmission distance up to 120km on single-core fiber. It can convert data type among RS232, RS422 and RS485

TXD: indicating data sending from fiber interface. High-Speed RS

IV. Fiber connection Two separate optical sender and receiver are used by UT-277 with a wave length of 1310nm(multi-mode) and 1310nm(single-mode) and both with standard STinterface. Multi-mode

UGREEN | RS485 232 422 to Serial Single Mode Fiber Optical Converter ...

& It;html& gt; & It;head& gt;& It;/head& gt; & It;body& gt; Single-Mode Single-Fiber Design The single-mode single-fiber design ensures efficient and reliable data transfer over long distances, enhancing

Set Up a Fiber-Optic Network in Your Home or Office

Learn about the various fiber-optic components used for running fiber in your house, office, or between buildings. Find out how to use fiber optics for

BTON Video Converter 1310/1550nm Data Via Fiber Singlemode FC

Fiber modem implements advanced optic transmission technology to extend signal transmission distance up to 120km on single-core fiber. It can convert data type among RS232, RS422 and RS485

RS232 / RS485 / RS422 to Fiber Optic Converters

Rugged industrial-grade RS232 / RS485 / RS422 to fiber optic converter. Transmits serial data (RS232, RS485 or RS422) over long distances through fiber links (single-mode: 25 miles or 40 km).

Linetek Hdmi 2.0 Multi Function Fiber Optical Converter

Fiber Optic Converter Ahmedabad, Gujarat ₹ 700/Piece Get Best Price AL-SDITS01 3G/HD-SDI FIBER EXTENDER (LC) Ahmedabad, Gujarat ₹ 12,500/Piece Get Best Price 2 PoE, RPoE and Non-PoE

RS-485/Modbus Fiber Optic Converter

It supports transmission of one bi-directional data channel over one multimode or singlemode optical fiber. RS232, RS422 and RS485 (2 wire & 4 wire) standards are fully supported. The plug-and-play

NovaStar CVT320 Fiber Converter (Single-mode) | SinaPlug

The NovaStar CVT320 fiber converter is a professional-grade single-mode optical-to-electrical signal converter. Designed for LED display environments, the CVT 320 is the best choice when long

TCF-142-S-SC

Moxa's industrial-grade serial-to-fiber optic converters can convert RS-232/422/485 to optical fiber, which provides users with an easy and reliable way to communicate with their serial devices.

Industrial Serial over Fibre Modems - PROFIBUS | Westermo

The Westermo range of fibre optic modems ensures reliable communications over multimode and single mode fibre optic cables. With transparent operation, our fibre optic modems act as converters for

High-Speed RS-232/RS-485/RS-422 Multi-Mode Fiber Optic Modem

UT-2788 supports transmission of two data signals: send data and receive data, and also provides RS-485/RS-422 data transmission automatic enabled control circuit. Zero delay transfer time; all the

Amazon : Fiber To Ethernet Converter

A Pair of Gigabit Single Mode LC Fiber Media Converter, with 2 Pcs SFP LX Modules, 1.25G/s Fiber to Ethernet Converter, 1000Base-LX to 10/100/1000base-TX, SFP to RJ45, SMF, 1310nm, up to 20km

UOTEK RS232 RS485 to Single Mode Fiber Converter RS232

It supports full-duplex or half-duplex communication between two devices with asynchronous serial ports via optical fiber, with a communication distance of up to 20 km in single mode, and a transmission

Hd sdi to fiber converter

Types of HD SDI to Fiber Converters An HD SDI to fiber converter is a critical device in professional video transmission systems, enabling high-definition serial digital interface (HD-SDI) signals to be

Fiber Modem RS485/RS422/RS232 Data Singlemode FC 20km Data Via Fiber ...

Fiber modem implements advanced optic transmission technology to extend signal transmission distance up to 120km on single-core fiber. It can convert data type among RS232, RS422 and RS485

Media converters

Fiber optic converter with SC duplex connection (1310 nm) for 100Base-TX to singlemode fiber optics, DIN rail mountable, extended temperature range, redundant power supply.

Fiber Optic Converters: A Beginner's Guide

A technical guide explaining the various types of fiber optic converters available today, including their signal type, mounting options, and powering.

Serial to Single-mode Fiber Optic Converters

Model FOSTCDRi-Sx industrial-grade isolated converter changes RS-232, RS-422 or RS-485 to single-mode fiber optics. FOSTCDRi-Sx extends serial data ranges up to 15 km (9 mi) and provides the

Serial Data to Fiber Media Converters (RS232, RS422, RS485)

Signamax Connectivity Systems' 065-1062AFSx series of RS-232/RS-422/RS485 serial data to fiber media converters are the simple, low-cost answer to the problem of extending a serial data stream

SFP Transceiver Optical Fiber Single-Mode LC 1000Base-BX

One LC port in 1000Base-BX single-mode fiber Fiber distance support up to 40 km
Wavelength Division Multiplexing (WDM) technology uses a single fiber link to transmit data over separate wavelengths

Advantech ADAM-6521S-AE Industrial Switch with 4 10/100 Mbps

ADAM-652S1 is an industrial-grade Ethernet switch and single-mode fiber converter. It is designed to help extend an Ethernet network up to 15 km through areas with electrical noise interference. ADAM

Black Box ServSwitch Fiber KVM Extender II-SM | SinaPlug

The Black Box ServSwitch Fiber KVM Extender II-SM (ACS251A) is a top-notch, single-mode fiber optic KVM (Keyboard, Video and Mouse) extender made to send digital video, keyboard, mouse, and

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://e-motional.eu>

Email: info@e-motional.eu

Phone: +49-30-657-8924

Address: Friedrichstraße 101, 10117 Berlin, Germany

This document is for informational purposes only. Specifications subject to change without notice.

